

## MONTANA STATE HOSPITAL POLICY AND PROCEDURE

## STANDING ORDER: DRUG GUIDELINES FOR LAB

Effective Date: August 22, 2006 Policy #: PS-05

Page 1 of 1

- **I. PURPOSE:** To ensure standardization for testing patients, who are taking anticonvulsant, antipsychotic, or other specific drugs which require laboratory work.
- **II. POLICY:** Any patient taking an anticonvulsant, antipsychotic, or other specific drugs should have the levels and/or labs monitored at routine intervals
- III. **DEFINITIONS**: None
- IV. RESPONSIBILITIES:
  - A. Physicians are responsible for following these guidelines. If the physician believes the patient is stable, these laboratory tests may be checked less frequently. Minimum requirements are yearly.
- V. PROCEDURE:
  - A. See Attachment A.
- VI. REFERENCES: None
- VII. COLLABORATED WITH: Medical Staff
- VIII. RESCISSIONS: #PS-05 Standing Order: Drug Guidelines for Lab dated June 5, 2003; #PS-05, Standing Order: Drug Guidelines for Lab dated February 14, 2000; H.O.P.P. #PS-03-97-N Standing Order: Drug Guidelines for Lab, July 21, 1997
- **IX. DISTRIBUTION:** All hospital policy manuals.
- X. REVIEW AND REISSUE DATE: August 2009
- XI. FOLLOW-UP RESPONSIBILITY: Medical Director
- XII. ATTACHMENTS: Attachment A Standing Order: Drug Guidelines for Lab

	/ /		/ /
Ed Amberg	Date	Thomas Gray, MD	Date
Hospital Administrator		Medical Director	

Drug	Predose Baseline	Initial Drug Level or Interacting Drug	Short Term	Long Term		
Anticonvulsants						
Carbamazepine (Tegretol)	CBC, chem. profile	10 – 14 days	Every 6 months: CBC, LFT, drug level			
Phenobarbital	CBC, chem. profile					
Phenytoin (Dilantin)	CBC, chem. profile	after 7 days				
Valproic Acid (Depakene, Depakote)	CBC, chem. profile	5 days	Every 6 months: CBC, LFT, drug level			
Other Psychotropics						
Clozapine (Clozaril)	CBC, chem. profile,	measure drug levels only if patient not responding to tx or if dosage is excessively high	CBC weekly for 6 months, then every 2 weeks, monthly after 1 year			
Lithium	CBC, chem. profile,	7 days	Every 6 months: drug level, lytes serum, creatinine	TSH yearly		
Miscellaneous Drugs						
Cholesterol lowering drugs (HMG-COA reductase inhibitors)	LFT		repeat LFT in 12 weeks	lipid profile yearly		
Digoxin (Lanoxin)	ECG	as indicated				
Isoniazid (INH)	LFT					
Synthroid	TSH		TSH in 6 weeks	TSH yearly		
Theophylline (Theodur)		as indicated				
Warfarin (Coumadin)	Baseline PT/INR	PT/INR as indicated	PT/INR as indicated monthly			

Standing Order: Drug Guidelines for Lab – Attachment A